


BEYOND THE LIMITS

OUTDOOR T A B L E R A N G E 2 0 2 1









100X TABLE TENNIS FOR ALL

OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS







- 2. LEG ADJUSTMENT RING FROM -1 CM TO +5 CM
- 3. **NEW DESIGN** ON THE SIDES
- 4. **STORAGE** FOR 4 BALLS (2 ON EACH SIDE)
- 5. STORAGE FOR 2 RACKETS (1 ON EACH SIDE)



















The 200X table, based on proven technology, is ideal for matches between family members, friends or even more experienced players. Its height-adjustable legs and powerful brakes ensure its stability, even in gardens with uneven ground. And with its large wheels, it can be moved easily.

200X RELIABILITY WITH COMPLETE EASE

OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS



40mm

- 1. STRAIGHT **LEGS** DIAM. 38 mm
- 2. LEG ADJUSTMENT RING FROM -1 CM TO +5 CM
- 3. **NEW DESIGN** ON THE SIDES
- 4. STORAGE FOR 4 BALLS (2 ON EACH SIDE)
- 5. **STORAGE** FOR 2 RACKETS (1 ON EACH SIDE)
- 6. BRAKES X2







2. LEG ADJUSTMENT RING (3D) FROM -1 CM TO +5 CM 6. NEW DESIGN ON THE SIDES

3. LOCKING/RELEASE LEVER

4. **STORAGE** FOR 4 BALLS (2 ON EACH SIDE)


- 5. **STORAGE** FOR 4 RACKETS (2 ON EACH SIDE))
- 7. BRAKES X2
- 8. RETRACTABLE POINT-COUNTING ACCESSORIES X2



OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS

The robust design and stability of the 300X table can be appreciated at first sight. But these are not its only advantages. Its playing surface offers excellent rebound to delight players at all levels. The 300X table is able to adapt to slightly uneven terrain with its adjustable legs, while its central locking/release system and two brakes provide a high level of safety.









It's the look of the 400X table that makes it stand out at first sight, but it truly reveals what it has to offer when played on. Its height-adjustable legs and large wheels enable it to take on any terrain. Its point counters are ideal for hard-fought matches, and its racket and ball storage spaces will prove highly practical. Together with its locking/release system combining optimal ergonomics and safety, as well as its powerful brakes, the whole family are able to handle the table safely.

400X **POWERFUL BUT AGILE**

OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS










- 1. WIDE, THICK TAPERED **LEGS**
- 2. LEG ADJUSTMENT RING (3D) FROM -1 CM TO +5 CM 6. NEW DESIGN ON THE SIDES
- 3. LOCKING/RELEASE LEVER
- 4. **STORAGE** FOR 4 BALLS (2 ON EACH SIDE)
- 5. **STORAGE** FOR 4 RACKETS (2 ON EACH SIDE))
- 7. BRAKES X2
- 8. RETRACTABLE POINT-COUNTING ACCESSORIES X2







500X PLAY IN STYLE

performance' spirit, the 500X invites you to concentrate on what matters: the game. Its excellent rebound is ideal for high-level rallies and its various features have been designed to allow you to play wherever you want, in any situation. Its tapered legs, bold lines and sturdy sides are what help create its strong personality.

OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS









1. WIDE, THICK TAPERED **LEGS**

2. LEG ADJUSTMENT RING (3D) FROM -1 CM TO +5 CM 6. BRAKES X2

3. LOCKING/RELEASE LEVER

4. 2 ACCESSORY/BOTTLE HOLDERS

5. ERGONOMIC NET ADJUSTMENT SYSTEM

7. CORNER PROTECTORS X4

8. RETRACTABLE POINT-COUNTING ACCESSORIES X2







600X

PERFORMANCE ALL OPTIONS

Accessory and bottle holders, point counters, ball dispensers and storage ... the 600X boasts the best innovations without compromising on the basics: safety, ergonomics and ease of use. The quality of its rebound and perfect spin response will satisfy the most demanding of players.

OUTDOOR
RESIN COLOURS
LAMINATE OF TOPS

♣ 60mm



2. LEG ADJUSTMENT RING (3D) FROM -1 CM TO +5 CM 6. BRAKES X2

3. LOCKING/RELEASE LEVER

4. EASYTRACK CARRY-OVER HANDLE 2 ACCESSORY/BOTTLE HOLDERS

5. ERGONOMIC NET ADJUSTMENT SYSTEM

7. CORNER PROTECTORS X4

8. BALL DISPENSERS

9. RETRACTABLE POINT-COUNTING ACCESSORIES X2

10. RETRACTABLE CUP-HOLDER ACCESSORIES X2







700X STEALTHY AND HIGHLY **EQUIPPED**

the 700X an unmatched table. Its rebound quality equivalent to a competition table offers you the chance to excel. Add to this the best technology providing pleasure and comfort, and a simple match of table tennis becomes a full-on playing experience.

OUTDOOR
RESIN
LAMINATE OF TOPS 8_{mm}





- 3. LOCKING/RELEASE LEVER
- 4. EASYTRACK CARRY-OVER HANDLE 2 ACCESSORY/BOTTLE HOLDERS
- 5. ERGONOMIC NET ADJUSTMENT SYSTEM
- CORNER PROTECTORS X4
- 8. BALL DISPENSERS
- 9. RETRACTABLE POINT-COUNTING ACCESSORIES X2
- 10. RETRACTABLE CUP-HOLDER **ACCESSORIES** X2



SAFE FORE EVERYONE!



CENTRALISED SYSTEM

INTEGRATED DOUBLE SECURITY

Using a central release handle, the table can be opened and closed with extreme ease. The DSI system has 16 locking points. The table is fully locked in playing and storage positions. What's more, because of its unique system, if a child opens the table and releases the handle, the panel automatically locks at 65°, thereby avoiding any risk of accident. Finally, if the top is not fully locked in the playing position, a second locking level stops the top from flipping over. Ea s y to store The patented « Compact Technology » system ensures optimum safety, easy movement and minimizes storage space requirements. O UTDOOR U LTR A D U RABL E The tabletop can be locked and unlocked thanks to a button system at the bottom and top of the side of your table. Composed of 8 locking points, it meets the safety standard.



DECENTRALISED SYSTEM

The tabletop can be locked and unlocked thanks to a button system at the bottom and top of the side of your table. Composed of 8 locking points, it meets the safety standard.






LESS GLARE FOR GREATER PLAYING COMFORT

MATTOP

10 times less glare from the sun and improved transmission of spin.

SOFTMAT

3 times less glare from the sun.



COMPACT ® TECHNOLOGY

EASY TO STORE

The patented « Compact Technology » system ensures optimum safety, easy movement and minimizes storage space requirements



S P O R T LEISURE TABLES

NEW NEW

NEW

NEW










Models		100X	200X	300X	400X
Playing surface Resin laminate 4 mm Resin laminate 5 mm Resin laminate 5 mm Resin laminate 5 mm Resin laminate 5 mm SOFTMAT SO	Models	OUTDOOR	OUTDOOR	OUTDOOR	OUTDOOR
Coeting SOFTMAT SOF	Colours of tops	115100 115300	115101 115301	115102 115302	115103 115303
From helight Aluzinc / 40 mm Aluzinc / 50 mm DSI (Bip points) D	Playing surface	Resin laminate 4 mm	Resin laminate 5 mm	Resin laminate 5 mm	Resin laminate 5 mm
Locking System DSI (8 points) DSI (8 points) DSI (16 points) DSI (16 points) Compact Technology yes yes <td< td=""><td>Coating</td><td>SOFTMAT</td><td>SOFTMAT</td><td>SOFTMAT</td><td>SOFTMAT</td></td<>	Coating	SOFTMAT	SOFTMAT	SOFTMAT	SOFTMAT
Compact Technology yes yes yes yes Leg type / dimensions Straight - a 28 mm Straight - a 38 mm Topered - 110-65 - 68 mm Adjustable leg pad 1D / 6 50 m ojustable 3D - a 104 mm ojustable 4D - a 104 mm ojustab	Frame height	Aluzinc / 40 mm	Aluzinc / 50 mm	Aluzinc / 50 mm	Aluzinc / 50 mm
Leg type / dimensions Stroight - e 25 mm Stroight - e 38 mm Stroight - e 38 mm Topered - 110-65 - 65 mm Adjustable leg pad 1D / e 50 m ojustable 3D - e 104 mm ojustable 3D - e 104 mm <td>Locking System</td> <td>DSI (8 points)</td> <td>DSI (8 points)</td> <td>DSI (16 points)</td> <td>DSI (16 points)</td>	Locking System	DSI (8 points)	DSI (8 points)	DSI (16 points)	DSI (16 points)
Adjustable leg pad 1D / e 50 m ojustable 3D - e 104 mm	Compact Technology	yes	yes	yes	yes
Net type Fixed Fixed Folding Folding Folding Adjustable net Tension Tension Tension Tension Wheel type SPECIAL OUTDOOR SPECIAL OUT	Leg type / dimensions	Straight - ø 25 mm	Straight - ø 38 mm	Straight - ø 38 mm	Tapered - 110~65 - 65 mm
Adjustable net Tension Tension Tension Tension Tension Tension Tension Tension Wheel type SPECIAL OUTDOOR Double wheels Oversize Wheels (thickness x diameter) 32 x 200 mm 32 x 20 mm 32 x 200	Adjustable leg pad	1D / ø 50 m	ajustable 3D - ø 104 mm	ajustable 3D - ø 104 mm	ajustable 3D - ø 104 mm
Wheel type SPECIAL OUTDOOR Double wheels Oversize Double wheels Oversize Wheels (thickness x diameter) 32 x 200 mm 32 x 20 mm 42 x x x x x x x x x x x x x x x x x x x	Net type	Fixed	Fixed	Folding	Folding
Wheels (type Double wheels Oversize Double wheels Oversize Double wheels Oversize Double wheels Oversize Wheels (thickness x diameter) 32 x 200 mm 32 x 200 mm <t< td=""><td>Adjustable net</td><td>Tension</td><td>Tension</td><td>Tension</td><td>Tension</td></t<>	Adjustable net	Tension	Tension	Tension	Tension
Brakes	Wheel type				
Ball storage yes / 4 balls yes / 4 balls yes / 4 balls yes / 4 balls yes / 6 balls yes	Wheels (thickness x diameter)	32 x 200 mm	32 x 200 mm	32 x 200 mm	32 x 200 mm
Racket storage yes / for 2 rackets yes / for 2 rackets yes / for 4 rackets Corner protection pads 2 Point counters Category (European Standards) EN 14468 - D CLASS EN 14468 - D CLASS EN 14468 - C CLASS EN 14468 -	Brakes	-	2 brakes	2 brakes	2 brakes
Corner protection pads 2 Point counters Category (European Standards) EN 14468 - D CLASS EN 14468 - D CLASS EN 14468 - C CLASS Approval FFTT leisure FFTT leisure FFTT leisure (high quality) Table weight 47 kg 54 kg 56 kg 58 kg 98 kg Packaged weight 56 kg 63 kg 60	Ball storage	yes / 4 balls	yes / 4 balls	yes / 4 balls	yes / 4 balls
Additional features 2 Point counters Category (European Standards) EN 14468 - D CLASS EN 14468 - D CLASS EN 14468 - C CLASS EN 14468 -	Racket storage	yes / for 2 rackets	yes / for 2 rackets	yes / for 4 rackets	yes / for 4 rackets
Category (European Standards) EN 14468 - D CLASS EN 14468 - D CLASS EN 14468 - C CLASS FITT leisure (high quality) (high	Corner protection pads	-	-	-	-
Approval FFTT leisure FFTT leisure (high quality) (high quality) Table weight 47 kg 54 kg 56 kg 58 kg Packaged weight 56 kg 63 kg GUARANTEE 10 years 10 years 10 years 10 years 20 years repairable 20 years repairable USES USES USES Louis & Tournaments Schools Public Parks Hospitality FFTT leisure (high quality) FFTT leisure (high quality) FFTT leisure (high quality) FFTT leisure (high quality) (high quality) FFTT leisure (high quality) (high quality) Se kg FSTT leisure FFTT leisure (high quality) Se kg FSTT leisure (high quality) Se kg S	Additional features	-	-	2 Point counters	2 Point counters
Approval FFTT leisure (high quality) (high quality)) Table weight 47 kg 54 kg 56 kg 58 kg Packaged weight 56 kg 63 kg 66 kg 68 kg GUARANTEE 10 years 10 years 10 years 20 years repairable 20 years repairable USES Home & Private use ++ ++ ++ +++ +++ Clubs & Tournaments Schools Public Parks Hospitality + + ++	Category (European Standards)	EN 14468 - D CLASS	EN 14468 - D CLASS	EN 14468 - C CLASS	EN 14468 - C CLASS
Packaged weight 56 kg 63 kg 66 kg 68 kg GUARANTEE 10 years 20 years repairable 10 years 20 years repairable 10 years 20 years repairable USES Home & Private use ++ ++ ++++ +++ ++++ +++++++ ++++++++++++++++++++++++++++++++++++	Approval	FFTT leisure	FFTT leisure		
GUARANTEE 10 years 20 years repairable 10 years 20 years repairable 20 years repairable USES WHOME & Private use ++ ++ ++ +++ +++ Clubs & Tournaments Schools Public Parks Hospitality + ++ ++	Table weight	47 kg	54 kg	56 kg	58 kg
USES Home & Private use ++ ++ ++ +++ Clubs & Tournaments Schools Public Parks Hospitality + ++ ++ Public Parks Hospitality 20 years repairable 1++ 1++ 1++ 1++ 1++ 1++ 1++ 1	Packaged weight	56 kg	63 kg	66 kg	68 kg
Home & Private use ++ ++ ++ +++ +++ Clubs & Tournaments Schools Public Parks Hospitality + +	GUARANTEE				
Clubs & Tournaments Schools Public Parks Hospitality + +	USES				
Schools Public Parks Hospitality + +	Home & Private use	++	++	+++	+++
Public Parks Hospitality Hospitality Hospitality					
Hospitality + +	Schools				
	Public Parks				
Corporate & Special Events	Hospitality			+	+
	Corporate & Special Events				











IADLLS	500X	600X	700X
Models	OUTDOOR	OUTDOOR	OUTDOOR
Colours of tops	113100 113400	113101 113401	113 402
Playing surface	Resin laminate 6 mm	Resin laminate 7 mm	Resin laminate 8 mm
Coating	MATTOP	MATTOP	MATTOP
Frame height	Aluzinc / 50 mm	Aluzinc / 60 mm	Aluzinc painted black / 60 mm
Locking System	DSI (16 points)	DSI (16 points)	DSI (16 points)
Compact Technology	yes	yes	yesi
Leg type / dimensions	Tapered - 110~65 - 65 mm	Tapered - 120~80 - 80 mm	Tapered - 110~65 - 65 mm painted blac
Adjustable leg pad	3D ajustable - ø 104 mm	3D ajustable – ø 104 mm	3D ajustable - ø 104 mm
Net type	Retractable	Retractable	Retractable
Adjustable net	Tension - Height	Tension - Height	Tension - Height
Wheel type	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL OUTDOOR Double wheels Oversize
Wheels (thickness x diameter)	32 x 200 mm	32 x 200 mm	32 x 200 mm
Brakes	2 brakes	2 brakes	4 brakes
Ball storage	yes / 6 balls	yes / 6 balls	yes / 6 balls
Racket storage	yes / for 4 rackets	yes / for 4 rackets	yes / for 4 rackets
Corner protection pads	yes	yes	yes
Additional features	2 Point counters 2 Storage compartments	2 Point counters 2 Storage compartments 2 Retractable cup-holders 2 Ball dispensers 1 Crossing handle	2 Point counters 2 Storage compartments 2 Retractable cup-holders 2 Ball dispensers 1 Crossing handle 8 wheel cover
Category (European Standards)	EN 14468 - C CLASS	EN 14468 - C CLASS	EN 14468 - C CLASS
Approval	FFTT leisure (high quality)	FFTT leisure (high quality)	FFTT leisure (high quality)
Table weight	66 kg	77 kg	89 kg
Packaged weight	78 kg	90 kg	102 kg
GUARANTEE	10 years 20 years repairable	10 years 20 years repairable	10 years 20 years repairable
USES			
Home & Private use	+++	+++	+++
Clubs & Tournaments			
Schools	+	+	+
Public Parks			
Hospitality	+	++	+++
Corporate & Special Events	+	++	+++



